

hem[®] Heavy Duty Bathroom Cleaner Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

: Heavy Duty Bathroom Cleaner Product name

Product code : C-B201

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Heavy Duty Bathroom Cleaning Solution

Details of the supplier of the safety data sheet

HD Chem 707 W. 16th St.

Long Beach, CA 90813

T (888) 443-2436 - F (562) 495-7716

Emergency telephone number

Emergency number : (888) 443-2436

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification (GHS-US)

Skin Irrit. 2 H315 Eye Dam. 1 H318 Skin Sens. 1 H317

Full text of H-phrases: see section 16

Label elements

GHS-US labeling

Signal word

Hazard pictograms





GHS05

: Danger

Hazard statements : Causes skin irritation.

> May cause an allergic skin reaction. Causes serious eye damage.

Precautionary statements : Avoid breathing mist, vapors.

Wash hands and forearms thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear eye protection, protective gloves, protective clothing.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Dispose of contents/container in accordance with Local, State, and Federal regulations.

Hazard not otherwise classified (HNOC)

No additional information available

Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

Product Code: C-B201 EN (English US) Page 1 of 8

Safety Data Sheet

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
sodium lauryl ether sulfate	(CAS No) 9004-82-4	5 - 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
2-butoxyethanol	(CAS No) 111-76-2	5 - 10	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
trisodium orthophosphate, dodecahydrate	(CAS No) 10101-89-0	1 - 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
tetrasodium ethylenediaminetetracetate	(CAS No) 64-02-8	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
(+)-limonene	(CAS No) 5989-27-5	0.1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : If skin irritation or rash occurs: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation persists, get medical attention.

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

First-aid measures after eye contact and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use. If you

feel unwell, seek medical advice.

Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes serious eye damage.

FOLLOWING SYMPTOMS MAY APPEAR LATER: Gastrointestinal complaints. Irritation of the Symptoms/injuries after ingestion

gastric/intestinal mucosa. Irritation of the oral mucous membranes. Nausea.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Reactivity : Reacts violently with (strong) acids. Reacts with (strong) oxidizers.

Advice for firefighters

Firefighting instructions Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : No additional information available.

Page 2 of 8 Product Code: C-B201 EN (English US)

Safety Data Sheet

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

: Isolate from fire, if possible, without unnecessary risk. General measures

For non-emergency personnel

Protective equipment : Protective goggles.

> Protective gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers. Plug the leak, cut off the supply. If

reacting: dilute combustible/toxic gases/vapors.

Methods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials. Wash down leftovers with plenty of water. Wash

clothing and equipment after handling.

Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation Precautions for safe handling

of the work station. Observe normal hygiene standards. Use personal protective equipment as

required.

Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or Hygiene measures

smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work.

Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation. Comply with applicable regulations.

Incompatible products : Oxidizing agent. Strong acids.

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

SECTION 8: Exposure controls/personal protection

Control parameters

2-butoxyethanol (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm
ACGIH	ACGIH STEL (ppm)	20 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	97 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	20 ppm

Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection Wear protective gloves.

Eye protection Chemical goggles or safety glasses. Skin and body protection : Wear suitable protective clothing.

Respiratory protection Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. In case of insufficient ventilation, wear suitable respiratory equipment.

Other information : When using, do not eat, drink or smoke.

Product Code: C-B201 EN (English US) Page 3 of 8

Safety Data Sheet

Appropriate engineering controls

: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Clear green
Odor : Lemon

Odor threshold : No data available pH : 12.5 - 13.5

Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : > 200 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosive limits : No data available Vapor pressure : No data available Vapor density : No data available

Specific Gravity @ 77° F : 1.048 - 1.068
Solubility : Soluble in water.
Partition Coefficient n-Octanol-Water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

9.2. Other information

VOC content : < 85 g/l CARB VOC

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with (strong) acids. Reacts with (strong) oxidizers.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Phosphorus oxides. Sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

trisodium orthophosphate, dodecahydrate (10101-89-0)		
LD50 oral rat	7400 mg/kg (Rat; OECD 420: Acute Oral toxicity – Acute Toxic Class Method; Literature study; >2000 mg/kg bodyweight; Rat)	
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)	
LC50 inhalation rat (mg/l)	> 0.83 mg/l/4h (Rat; Read-across)	
ATE US (oral)	7400.000 mg/kg body weight	

Product Code: C-B201 EN (English US) Page **4** of **8**

Heavy Duty Bathroom Cleaner Safety Data Sheet

tetrasodium ethylenediaminetetracetate (64-	02-8)
LD50 oral rat	> 2000 mg/kg (Rat)
ATE US (oral)	500.000 mg/kg body weight
2-butoxyethanol (111-76-2)	
LD50 oral rat	530 mg/kg (Rat; Equivalent or similar to OECD 401; Literature study; 1746 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
LC50 inhalation rat (mg/l)	2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value)
LC50 inhalation rat (ppm)	450-486,Rat; Weight of evidence
ATE US (oral)	530.000 mg/kg body weight
ATE US (dermal)	435.000 mg/kg body weight
ATE US (gases)	700.000 ppmV/4h
ATE US (vapors)	2.170 mg/l/4h
ATE US (dust, mist)	2.170 mg/l/4h
(+)-limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg body weight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study; > 2000 mg/kg bodyweight; Rat; Read-across)
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
ATE US (oral)	4400.000 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
O	pH: 12.5 - 13.5
Serious eye damage/irritation	: Causes serious eye damage.
oonoud by b damage/intanon	pH: 12.5 - 13.5
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Odicinogenicity	. Not diassified
2-butoxyethanol (111-76-2)	
IARC group	3 - Not Classifiable
(+)-limonene (5989-27-5)	
IARC group	3 - Not Classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
opeomic target organitement, (emigre expectate)	110, 0,000,000
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met
Symptoms/injuries after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: FOLLOWING SYMPTOMS MAY APPEAR LATER: Gastrointestinal complaints. Irritation of the gastric/intestinal mucosa. Irritation of the oral mucous membranes. Nausea.

SECTION 12: Ecological information

12.1. Toxicity

trisodium orthophosphate, dodecahydrate (10101-89-0)		
LC50 fish 1	2400 mg/l (48 h; Leuciscus idus; Anhydrous form)	
EC50 Daphnia 1	> 100 mg/l (48 h; Daphnia magna)	
LC50 fish 2	220 mg/l (96 h; Lepomis macrochirus; Anhydrous form)	
Threshold limit algae 1	> 100 mg/l (72 h; Desmodesmus subspicatus)	
tetrasodium ethylenediaminetetracetate (64-02-8)		
LC50 fish 1	121 mg/l (96 h; Lepomis macrochirus; Soft water)	
EC50 Daphnia 1	625 mg/l (24 h; Daphnia magna)	

Product Code: C-B201 EN (English US) Page 5 of 8

Heavy Duty Bathroom Cleaner Safety Data Sheet

tetrasodium ethylenediaminetetracetate ((64-02-8)
LC50 fish 2	374 - 792 mg/l (96 h; Lepomis macrochirus; pH > 7)
Threshold limit algae 1	> 100 mg/l (72 h; Scenedesmus subspicatus; Growth)
	> 100 mg/1 (72 m, Scenedesmus subspicatus, Growth)
2-butoxyethanol (111-76-2)	
LC50 fish 1	116 ppm (96 h; Cyprinodon variegatus; Nominal concentration)
EC50 Daphnia 1	1700 mg/l (48 h; Daphnia sp.; Nominal concentration)
LC50 fish 2	1341 ppm (96 h; Lepomis macrochirus)
EC50 Daphnia 2	1720 mg/l (24 h; Daphnia magna)
TLM fish 1	100 - 1000,96 h; Pisces
TLM other aquatic organisms 1	100 - 1000,96 h
Threshold limit algae 1	900 mg/l (168 h; Scenedesmus quadricauda)
Threshold limit algae 2	35 mg/l (192 h; Microcystis aeruginosa)
(+)-limonene (5989-27-5)	
LC50 fish 1	720 μg/l (96 h; Pimephales promelas; Lethal)
EC50 Daphnia 1	0.36 mg/l (48 h; Daphnia magna; GLP)
LC50 fish 2	702 μg/l (96 h; Pimephales promelas)
Threshold limit algae 1	150 mg/l (72 h; Desmodesmus subspicatus; GLP)
Threshold limit algae 2	2.62 mg/l (72 h; Desmodesmus subspicatus)
O.O. Danielat L.	
2.2. Persistence and degradability	
trisodium orthophosphate, dodecahydra	te (10101-89-0)
Persistence and degradability	Biodegradability: not applicable. Biodegradability in soil: not applicable. No (test) data on mobility of the substance available.
ThOD	Not applicable (inorganic)
tetrasodium ethylenediaminetetracetate ((64-02-8)
Persistence and degradability	Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	< 0.002 g O2/g substance
Chemical oxygen demand (COD)	0.54 - 0.58 g O ₂ /g substance
2-butoxyethanol (111-76-2)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.74 0-1 1 1
	0.71 g O2/g substance
Chemical oxygen demand (COD)	2.20 g O ₂ /g substance
ThOD	2.305 g O ₂ /g substance
BOD (% of ThOD)	0.31 % ThOD
(+)-limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Adsorbs into the soil.
ThOD	3.29 g O2/g substance
sodium lauryl ether sulfate (9004-82-4)	
Persistence and degradability	Not established.
2.3. Bioaccumulative potential	
trisodium orthophosphate, dodecahydra	te (10101-89-0)
Bioaccumulative potential	Not bioaccumulative.
<u>'</u>	
tetrasodium ethylenediaminetetracetate	,
Log Pow	-2.6
Bioaccumulative potential	Bioaccumulation: not applicable.
2-butoxyethanol (111-76-2)	
Log Pow	0.81 (Experimental value; BASF test; 25 ℃)
	The state of the s
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Bioaccumulative potential (+)-limonene (5989-27-5)	Low potential for bioaccumulation (Log Kow < 4).

Product Code: C-B201 EN (English US) Page 6 of 8

Safety Data Sheet

(+)-limonene (5989-27-5)		
Log Pow	4.38 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 37 $^{\circ}$ C)	
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).	
sodium lauryl ether sulfate (9004-82-4)		
Bioaccumulative potential	Not established.	

12.4. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN Number

UN-No.(DOT) : Not Regulated

Other information : No supplementary information available

14.2. UN proper shipping name

DOT Proper Shipping Name : Not Regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

trisodium orthophosphate, dodecahydrate (10101-89-0)		
RQ (Reportable quantity, section 101(14) of CERCLA as published on EPA's List of Lists) :	5000 lb	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
tetrasodium ethylenediaminetetracetate (64-02-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
2-butoxyethanol (111-76-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
(+)-limonene (5989-27-5)		
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
sodium lauryl ether sulfate (9004-82-4)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	

15.2. International regulations

CANADA

EU-Regulations

No additional information available

Product Code: C-B201 EN (English US) Page 7 of 8

Safety Data Sheet

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

trisodium orthophosphate, dodecahydrate (10101-89-0)

Trisodium orthophosphate dodecahydrate appears on the U.S. EPA TSCA Inventory under the cas# representing the anhydrous form of this material (7601-54-9 trisodium phosphate, crystalline).

15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

Prop 65 Comments :Formaldehyde (CAS#50-00-0): < 50 ppm
This product contains a chemical that is at or below California Propositions 65's "safe harbor level" as determined via a risk assessment.

Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

SECTION 16: Other information

Abbreviations Legend:

Acute Tox. 3 (Dermal	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Asp. Tox. 1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Disclaimer

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Revision date: 11/24/2014 Supersedes: 05/01/2012 Version: 1.0

Product Code: C-B201 EN (English US) Page 8 of 8