

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Q Quaternary Sanitizer

Product code : C-Q01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Quat Disinfectant/Sanitizer

1.3. Details of the supplier of the safety data sheet

HD Chem 707 W. 16th St. Long Beach, CA 90813

T (888) 443-2436 - F (562) 495-7716

1.4. Emergency telephone number

Emergency number : CHEMTREC: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS US classification

Skin Corr. 1B H314 Eye Dam. 1 H318 STOT SE 3 H335

Full text of H- and EUH-statements: see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms





GHS07

GHS05

Signal word : Danger

Hazard statements : Causes severe skin burns and eye damage.

Causes serious eye damage.

May cause respiratory irritation.

Do not breathe mist vapors

Precautionary statements : Do not breathe mist, vapors.

Wash hands and forearms thoroughly after handling. Use only outdoors or in a well-ventilated area.

Wear eye protection, face protection, protective clothing, protective gloves.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a poison center or doctor/physician.

Call a POISON CENTER or doctor/physician if you feel unwell.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with Local, State, and Federal regulations.

2.3. Hazard not otherwise classified (HNOC)

No additional information available.

2.4. Unknown acute toxicity (GHS US)

No data available

Product Code: C-Q01 EN (English US) Page 1 of 8

Safety Data Sheet

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable.

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Full text of H- and EUH-statements: see section 16

3.2. Mixture

| Name | Product identifier | % | GHS US classification |
|--|----------------------|---------|--|
| alkyl dimethyl benzyl ammonium chloride (C12-16) | (CAS-No.) 68424-85-1 | 1 - 5 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| decyldimethyloctylammonium chloride | (CAS-No.) 32426-11-2 | 1 - 5 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| dioctyldimethylammonium chloride | (CAS-No.) 5538-94-3 | 0.1 - 5 | Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 |
| didecyldimethylammonium chloride | (CAS-No.) 7173-51-5 | 0.1 - 5 | Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Eye Dam. 1, H318 |
| ethanol | (CAS-No.) 64-17-5 | 0.1 - 5 | Flam. Liq. 2, H225 Carc. 1A, H350 |

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

SECTION 4: First aid measures

| 4.1. Description of first aid measures | 4.1. | Description of first aid measures |
|--|------|-----------------------------------|
|--|------|-----------------------------------|

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately

call a poison center or doctor/physician.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Immediately call a poison center or doctor/physician.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes burns/corrosion of the skin.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Burns to the gastric/intestinal mucosa. Nausea. Abdominal pain. Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Reactivity : Reacts with (strong) oxidizers. Reacts with (strong) reducers.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : No additional information available.

Product Code: C-Q01 EN (English US) Page 2 of 8

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles.

Protective gloves.
Protective clothing.
Respiratory protection.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released product, collect/pump into suitable containers. Plug the leak, cut off the

supply.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials. Wash down leftovers with plenty of water. Wash

clothing and equipment after handling.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation

of the work station. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use personal

protective equipment as required.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas

with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation. Comply with applicable regulations.

Incompatible products : Oxidizing agent. Reducing agents.

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| ethanol (64-17-5) | | |
|-------------------|------------------------|------------|
| OSHA | OSHA PEL (TWA) (mg/m³) | 1900 mg/m³ |
| OSHA | OSHA PEL (TWA) (ppm) | 1000 ppm |

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or face shield. Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. In case of insufficient ventilation, wear suitable respiratory equipment. When working with concentrations above the exposure limit, users must wear an appropriate certified

respirator.

Other information : Do not eat, drink or smoke during use.

Safety Data Sheet

Appropriate engineering controls

: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Clear to light straw

Odor : Mild

Odor threshold : No data available

pH : 6-9

Melting point: No data availableFreezing point: No data availableBoiling point: No data available

Flash point : > 200 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosion limits : No data available Vapor pressure : No data available Vapor density : No data available

Specific Gravity @ 77° F : 0.981 - 1.001
Solubility : Soluble in water
Partition Coefficient n-Octanol-Water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

9.2. Other information

VOC content : < 15 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with (strong) oxidizers. Reacts with (strong) reducers.

10.2. Chemical stability

Stable under recommended conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Oxidizers. Reducing agents.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Nitrogen oxides. Thermal decomposition generates: Toxic vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| decyldimethyloctylammonium chloride (32426-11-2) | | |
|--|-----------------------|--|
| ATE US (oral) | 500 mg/kg body weight | |
| dioctyldimethylammonium chloride (5538-94-3) | | |
| ATE US (oral) | 500 mg/kg body weight | |
| didecyldimethylammonium chloride (7173-51-5) | | |
| LD50 oral rat | 84 mg/kg | |
| ATE US (oral) | 84 mg/kg body weight | |

Product Code: C-Q01 EN (English US) Page 4 of 8

Safety Data Sheet

| ethanol (64-17-5) | | |
|---|--|--|
| LD50 oral rat | 10740 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value) | |
| LD50 dermal rabbit | > 16000 mg/kg (Rabbit; Literature study) | |
| ATE US (oral) | 10740 mg/kg body weight | |
| alkyl dimethyl benzyl ammonium chloride (C12-16) (68424-85-1) | | |
| LD50 oral rat | 344 mg/kg | |
| LD50 dermal rabbit | 3340 mg/kg | |
| ATE US (oral) | 344 mg/kg body weight | |
| ATE US (dermal) | 3340 mg/kg body weight | |
| Skin corrosion/irritation | : Causes severe skin burns and eye damage. | |
| | pH: 6 - 9 | |
| Serious eye damage/irritation | : Causes serious eye damage. | |
| | pH: 6 - 9 | |
| Respiratory or skin sensitization | : Not classified | |
| Germ cell mutagenicity | : Not classified | |
| Carcinogenicity | : Not classified | |

| ethanol (64-17-5) | |
|-------------------|----------------------------|
| IARC group | 1 - Carcinogenic to humans |

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes burns/corrosion of the skin.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Burns to the gastric/intestinal mucosa. Nausea. Abdominal pain. Gastrointestinal complaints.

SECTION 12: Ecological information

12.1. Toxicity

| ethanol (64-17-5) | | |
|---|---|--|
| LC50 fish 1 | 14200 mg/l (96 h; Pimephales promelas; Nominal concentration) | |
| EC50 Daphnia 1 | 9300 mg/l (48 h; Daphnia magna) | |
| LC50 fish 2 | 13000 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss) | |
| EC50 Daphnia 2 | 10800 mg/l (24 h; Daphnia magna) | |
| Threshold limit other aquatic organisms 1 | 65 mg/l (72 h; Protozoa) | |
| Threshold limit algae 1 | 1450 mg/l (192 h; Microcystis aeruginosa; Growth rate) | |
| Threshold limit algae 2 | 5000 mg/l (168 h; Scenedesmus quadricauda; Growth rate) | |

12.2. Persistence and degradability

| ethanol (64-17-5) | | |
|---------------------------------|--|--|
| Persistence and degradability | Readily biodegradable in water. Biodegradable in the soil. No (test)data on mobility of the substance available. | |
| Biochemical oxygen demand (BOD) | 0.8 - 0.967 g O ₂ /g substance | |
| Chemical oxygen demand (COD) | 1.7 g O ₂ /g substance | |
| ThOD | 2.1 g O ₂ /g substance | |
| BOD (% of ThOD) | 0.43 % ThOD | |

12.3. Bioaccumulative potential

| ethanol (64-17-5) | |
|-------------------|----------------------------|
| Log Pow | -0.31 (Experimental value) |

Product Code: C-Q01 EN (English US) Page **5** of **8**

Safety Data Sheet

| ethanol (64-17-5) | |
|---------------------------|--|
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |

12.4. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN Number

UN-No.(DOT) : UN1903

Other information : Under 49 CFR 173.154(c) and (b)(1): This product may be shipped as ORM-D or Limited

Quantity if the inner packagings do not exceed 1 L (0.3 gallons) or 1.0 kg (2.2 lbs). This provision does not apply to transportation by vessel or aircraft, except where other means of

transportation is impracticable.

14.2. UN proper shipping name

Proper Shipping Name (DOT) : UN1903, Disinfectants, Liquid, Corrosive, N.O.S. (Quaternary Ammonium Compounds), 8, PGII

Hazard labels (DOT) : 8 - Corrosive



Proper Shipping Name (IMGD) : UN1903, Disinfectants, Liquid, Corrosive, N.O.S. (Quaternary Ammonium Compounds), 8, PGII

Hazard labels (IMDG) : 8 – Corrosive

Environmental hazards Marine pollutant No. EmS F-A, S-B



SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

| decyldimethyloctylammonium chloride (32426-11-2) | |
|--|---|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory. | |
| SARA Section 311/312 Hazard Classes | Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard |
| dioctyldimethylammonium chloride (5538-94-3) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory. | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Delayed (chronic) health hazard |

Product Code: C-Q01 EN (English US) Page 6 of 8

Safety Data Sheet

| didecyldimethylammonium chloride (7173-51-5) | | |
|--|---|--|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory. | | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard | |
| ethanol (64-17-5) | | |
| Listed on IARC (International Agency for Research on Cancer) Listed on the United States TSCA (Toxic Substances Control Act) inventory. Listed on the Canadian DSL (Domestic Substances List). | | |
| SARA Section 311/312 Hazard Classes | Delayed (chronic) health hazard Immediate (acute) health hazard Fire hazard | |
| alkyl dimethyl benzyl ammonium chloride (C12-16) (68424-85-1) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory. | | |
| SARA Section 311/312 Hazard Classes | Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard | |

15.2. International regulations

CANADA

ethanol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List).

EU-Regulations

No additional information available.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

EPA Registration Number

: 10324-117-87159 • EPA Est. No. 10693-CA-1

EPA Comments

This chemical is a pesticide registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

DANGER

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and chemical-resistant gloves and protective clothing when handling. Wash thoroughly

with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Product Code: C-Q01 EN (English US) Page 7 of 8

Safety Data Sheet

: PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Do not mix with oxidizers, anionic soaps and detergents.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

SECTION 16: Other information

Abbreviations Legend:

| H225 | Highly flammable liquid and vapor |
|------|--|
| H226 | Flammable liquid and vapor |
| H301 | Toxic if swallowed |
| H302 | Harmful if swallowed |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |
| H335 | May cause respiratory irritation |
| H350 | May cause cancer |
| H400 | Very toxic to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |

Disclaimer

This document is generated for the purpose of distributing health, safely, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (888) 443-2436

Revision date: 07/07/2023 Supersedes: 06/25/2021 Version: 1.3

Product Code: C-Q01 EN (English US) Page 8 of 8